

Business Name: Tank It Easy Colorado Springs

Address: Colorado Springs, CO 80917

Phone: (719) 359-8832

Tank It Easy Colorado Springs

Tank It Easy – Colorado Springs provides fast, reliable septic tank cleaning for homes and businesses across the region. We handle routine pumping, maintenance, and inspections with honest pricing and friendly service. Whether you're dealing with backups, odors, or just need regular service, our licensed and insured team gets the job done right. Family-owned and operated, we're committed to keeping your septic system running smoothly. Call today and let Tank It Easy do the dirty work—so you don't have to!

[View on Google Maps](#)

Colorado Springs, CO 80917

Business Hours

- Monday: 24 Hours
- Tuesday: 24 Hours
- Wednesday: 24 Hours
- Thursday: 24 Hours
- Friday: 24 Hours
- Saturday: 24 Hours
- Sunday: 24 Hours

Follow Us:

- Facebook: <https://www.facebook.com/profile.php?id=61573216902188>
- YouTube: <https://www.youtube.com/@TankItEasyCO>

Explore this content with AI:

 [ChatGPT](#)  [Perplexity](#)  [Claude](#)  [Google AI Mode](#)  [Grok](#)

I have actually stood in adequate muddy lawns with a lever and a worried homeowner to know two truths about septic tanks. First, a well-cared-for system disappears into the background of your life and simply works. Second, when maintenance gets avoided, you can smell the mistake before you see it. The bright side is you do not need a premium contract or expensive gadgetry to keep your system healthy. You need a useful strategy, a consistent schedule, and a company who treats your home like their own.

This guide strolls through how to build a realistic, budget-friendly septic tank maintenance strategy, what to get out of credible pros, and how to prevent the most expensive mistakes. I will share ballpark numbers, trade-offs, and the small choices that make the greatest distinction to cost and longevity.

How a simple system lasts decades

A conventional septic tank has 2 tasks. The tank holds wastewater long enough for solids to settle and scum to float, then partly clarified effluent circulations to a drainfield where soil finishes the treatment. Many early failures

I see trace back to foreseeable sources: a lot of solids leaving the tank, excessive water overloading the drainfield, or overlooked parts like outlet baffles and filters.

A maintenance strategy is not an expensive add-on. It is a rhythm. Assessments, sewage-disposal tank pumping on schedule, basic septic tank cleaning when required, and a few clever upgrades turn emergency situations into routine chores.

What "pumping," "emptying," and "cleansing" in fact mean

People use these terms interchangeably. Pros need to not.

Pumping or sewage-disposal tank emptying describes eliminating the liquid and solids with a vacuum truck. Cleaning up ways agitating and washing the tank to separate persistent sludge and scum so it can be totally eliminated. If a tank has thick, crusty layers or evidence of carryover into the drainfield, an appropriate septic system cleaning matters. On a routine schedule with healthy germs and affordable use, pumping alone frequently suffices.

I ask crews to determine the sludge and residue before and after. A quick core sample tells the story. If total solids go beyond about a third of the tank's volume, you are overdue. If a tank has baffles, tees, or an effluent filter obstructed with paper and grease, partial or rushed pumping can leave the worst behind. A great service provider takes the additional 15 minutes to end up the job.

The real expenses, with everyday variables

In most areas, regular septic tank pumping for a common 1,000 to 1,500 gallon tank runs 250 to 600 dollars, depending upon gain access to, range to disposal sites, regional fees, and the length of time since the last service. Cleaning or extra labor for difficult crusts, digging up buried covers, and heavy hose pipe pulls can include 50 to a couple of hundred dollars.

Frequency is not a guess. It depends on:

- Household size and water usage. A family of 5 puts more solids and flow into the tank than a couple that takes a trip often.
- Tank size. Bigger tanks offer you more buffer in between pumpings.
- Garbage disposal routines. Grinding food can cut the period in half. If you should use it, pump more often.
- Laundry patterns and high-efficiency components. More recent front-load washers and low-flow toilets can stretch the period by months or years.
- Special components. Effluent filters capture solids but require routine rinsing. Aeration units and pump chambers have their own service needs.

Most healthy, conventional systems land in a 2 to 5 year pumping range. Three years is a safe starting point for an average household of 4 with a 1,000 gallon tank and very little waste disposal unit usage. If you have a 1,500 gallon tank and a two-person home, five years is sensible, offered you monitor and the effluent filter is kept clear.

A small story about a big costs that never ever happened

A client bought a home with a 1,250 gallon concrete tank and a rectangular drainfield that dated to the late 1990s. The prior owner had actually pumped "whenever it supported," which equated to as soon as in seven years. We set up examination, installed risers to bring the covers to grade, and set a three-year reminder. On year

three, solids determined at a quarter of the tank, so we pressed to a four-year cycle. On year 8, we added an effluent filter and swapped a 1990s top-loader washer for a water-miser front-loader. That little mix of modifications cost under 600 dollars total and prevented a 12,000 dollar drainfield replacement that would have been practically guaranteed under the old habits.

The point is not perfection. It is feedback. Measure, adjust, and hold a constant course.

What a practical, budget friendly strategy looks like

Start by recording what you have. Tank size, product, access points, baffles or tees, effluent filter, existence of a pump chamber or aerator, and layout of the drainfield. If you can not discover the tank, a service provider can penetrate or utilize a cam and locator. Pay when to expose and after that add risers so covers sit at or near the surface area. That single upgrade shaves labor charges whenever and makes mid-cycle evaluations feasible without a shovel.

Next, select a service cadence lined up with your threat tolerance. If you dislike surprises, set a conservative interval, then extend it only if metrics stay healthy. If spending plan is tight, lower the solids you send out to the tank with behavior modifications, not simply calendar modifications. I have seen families extend intervals by a year just by capturing grease in a can, spacing laundry, and dumping flushable wipes. Spoiler: they are not flushable.

Finally, ask your company to itemize what their sees include. The following core aspects signal a well-designed upkeep strategy that balances cost and thoroughness.

- Scheduled pumping with measured sludge and residue, plus composed records
- Effluent filter service and outlet baffle evaluation, with photos
- Visual check of drainfield health and dosing (if suitable), keeping in mind any seepage or odors
- Lid, riser, and seal condition check to keep groundwater out and gases managed
- Clear prices for dig costs, hose pipe length, and after-hours calls so there are no surprises

Smart upgrades that spend for themselves

Risers and lids to grade. If you invest 250 dollars to bring two lids to the surface, you will save that amount within one to two services by avoiding dig charges and extra time. You also make fast checks pain-free. I recommend gas-tight covers if the tank sits near living spaces or a patio, and safe fasteners if kids have lawn access.

Effluent filter. A 75 to 150 dollar filter on the outlet side can obstruct fine solids that would otherwise drift toward your drainfield. It requires a rinse every 6 to 18 months depending on use. Consider it as a furnace filter, not a one-time install.

High water alarm on pump chambers. For systems with a pump station, a basic audible alarm that journeys when [septic tank cleaning](#) the water increases too expensive can conserve a flooded yard and a scorched pump. Not fancy, simply functional.

Water smart fixtures. Toilets made after 2010 usage about 1.28 gallons per flush. Replacing 2 older 3.5 gallon toilets can cut day-to-day flow by 60 to 80 gallons in a busy home. Less flow suggests much better separation in the tank and a better drainfield.

Baffle repairs. If inlet or outlet baffles are missing or crumbling, change them. A missing outlet baffle is like eliminating the screen door on your house. It will work for a while, then you get visitors you did not want.

Subscription plans versus pay-as-you-go

Different providers plan services in various ways. You do not need to chase a low monthly price to save money. What matters is worth over your cycle.

- Pay as-you-go works well if you keep excellent records, prefer control, and are comfortable scheduling reminders.
- Annual evaluation plans include a little charge but can capture early concerns like a loose baffle or filter blockage before they become expensive.
- Neighborhood or seasonal promos can drop pumping costs by 10 to 20 percent if several homes reserve the very same day.
- Bundled service for homes with pump stations or aerators often pencils out, considering that those elements require routine checks anyway.
- Price lock contracts can protect you from disposal fee hikes, but checked out the small print on hose length, lid direct exposure, and after-hours rates.

Behavior between visits matters more than you think

The least expensive maintenance move is what you stay out of the tank. Kitchen area grease, wipes, floss, and cotton items produce mats that do not break down. Food mills send out a parade of little particles that float and smear the outlet baffle. Hosting a huge crowd for a weekend? Spread laundry out over numerous days before visitors arrive and after they leave. If your system has a filter, set a reminder to wash it before vacation gatherings.



If you have a water conditioner, path the salt water discharge to code-approved places. In some soils and systems, high salt can impact the soil's structure in the drainfield. Local rules differ. A provider who understands your area will have an opinion grounded in your soil type and state code.

What specialists really do on site

When I get here, I locate and expose covers if required, then open the tank and measure the scum and sludge with a clear tube or a hooked pole and plate. I examine inlet and outlet baffles or tees. If there is an effluent filter, I pull and wash it into the tank so solids are eliminated by the truck, not sprayed onto your lawn.

During pumping, I agitate the contents with the suction hose pipe to separate islands of residue. If the tank has compartments, I pump both. A quick rinse along the walls helps dislodge crust, but I prevent power-washing concrete for long periods, which can roughen the surface area. I prevent adding chemicals. They either not do anything helpful or they short-term liquefy sludge that belongs in the truck, not your drainfield.

Before closing, I verify the outlet tee or baffle is safe and secure, change the filter, check that lids seal tight, and take a photo of the inside condition. Lastly, I keep in mind any indications of problem in the drainfield location: lavish streaks of green in dry weather, odors, or wet spots.

You must expect a quick summary of findings with solids measurements and a suggested period for the next service. That single page, kept with your home records, is worth a thousand guesses.



Finding a provider who conserves you cash, not simply clears a tank

Ask how they determine pumping periods. If the answer is a fixed number without referral to your household size, tank volume, and filter type, keep looking. A good tech will talk you through choices, not dictate a one-size schedule.

Ask where they deal with waste. Reputable companies use allowed facilities and can show manifests. Prohibited disposing damages everybody and puts you at risk.

Check insurance coverage and licensing. Lots of states or counties require pumper licenses. Even where they do not, you want proof of liability insurance and employees' comp if a team member gets injured on your property.

Request line-item quotes for digging, tube length, and emergency calls. Some outfits promote a low pump rate and then stack on bonus. Transparency is a trust test.

Pay attention to the truck and tools. A tidy rig, clean hose pipes, appropriate lids and risers in stock, and a tech who cleans their boots before stepping on your patio area are little signs of respect that generally associate with excellent work.

Edge cases worth planning around

Older steel tanks. If you have one, anticipate rust. Probe carefully around the covers before stepping near them. Lots of jurisdictions require replacement when holes appear or baffles stop working. Spending plan for a changeout rather than sinking money into a stopping working vessel.

Plastic or fiberglass tanks. They can bend and float if groundwater rises. Make sure lids are secured and risers are well supported. Prevent driving heavy equipment over them.

High water level or seasonal saturation. If your property gets soaked each spring, a timed dosing system or pressure circulation may be in play. These systems need pump checks and alarm confirmation. Do not decrease service on a hunch. Timers and floats fail in quiet ways.

Aerobic treatment units. They deliver more oxygen to germs, breaking down waste quicker, however they need more frequent service. Expect quarterly or semiannual checks of the blower, diffusers, and sludge levels. Avoiding service on an ATU can produce odors that make neighbors cranky.

Additions and completed basements. Finishing a basement typically adds a bedroom in the eyes of many codes, which alters the assumed flow to the septic. If you add bed rooms or a big soaking tub, prepare for increased pumping frequency, and verify your drainfield can handle the load.

Troubleshooting without panic

Gurgling drains pipes, slow toilets, or a faint odor outdoors do not constantly mean the drainfield is gone. Check the simple things initially. If your system has an effluent filter, it might be clogged and sobbing for a rinse. Heavy rains can saturate the field for a few days. Stagger water use and wait on soils to drain. If the alarm sounds on a pump tank, cut power to the pump, lower water use, and call. Running a dry pump can turn a 200 dollar float replacement into a 1,200 dollar pump swap.

If wastewater backs up into a basement or tub, stop water usage and get a pro on website. A fast snake from the cleanout can verify whether the obstruction is in your home line or the septic line. Do not open the tank and start poking around without knowing what you are taking a look at. Gases inside the tank are hazardous.

The quiet worth of records

I like tidy binders, however a folder in a kitchen area drawer works fine. Keep the as-built sketch if you have one, pump dates and solids measurements, filter service notes, and any upgrades. When you offer your home, those records inform a purchaser the system is a cared-for asset, not a mystery. When you call for service, offering a dispatcher your tank size and lid areas can shave time and cost.

If you have no records yet, start with this cycle. Ask your service provider to measure, picture, and mark the cover places in a short sketch with distances from fixed points like a corner of the house or a fence post.

Where money conceals in plain sight

I have actually seen homeowners pay an extra 150 dollars per check out for dig-ups that a set of lids to grade would have removed. I have actually seen folks with meticulous calendars ignore a missing out on outlet baffle and after that pay 20 times more to rehab a soaked field. I have also seen a 10 minute filter rinse avoid a vacation backup that would have ended a birthday celebration at midday. The pattern is consistent. Invest a little on access and monitoring, and invest a little attention on what goes down your drains. Your wallet will notice.

A simple, budget-friendly checklist you can follow

- Set a standard pumping period of 3 years for a 1,000 to 1,250 gallon tank with a household of 4, then change utilizing measured solids
- Install risers and covers to grade at the next service to avoid future dig fees
- Add an effluent filter and schedule a rinse every 6 to 18 months, timed to household use
- Space laundry through the week, avoid flushable wipes, and capture kitchen grease in a can
- Keep a one-page record of each see with dates, solids levels, and any repairs

What to skip, even if it sounds helpful

Miracle additives. If a product declares to liquify sludge, that sludge goes someplace. If it reaches the drainfield, you traded one problem for another. Your tank already has the germs it needs, assuming you are not whitening the system daily.

Routine "line jetting" to the drainfield. High pressure water in lateral lines can redistribute fines and break biofilm in manner ins which assist briefly and damage long term. Jetting has its place for particular obstructions, not as routine maintenance.



Driving or parking over the tank or field. Even a couple of passes with a heavy pickup in damp weather condition can compact soil and crack components. Mark the location on a simple sketch and treat it like a no-go zone.

Building your strategy this week

If you have not pumped in more than 4 years, contact us to schedule. When the truck is scheduled, demand risers to grade and ask for pre and post-service solids measurements. Talk with the tech about your family size, tank volume, and utilize patterns. Decide together whether your next cycle should be 2, three, or 4 years, then set a calendar pointer and stick the service record in a safe spot.

If you did pump within the previous 2 years and have a filter, set a tip to inspect and wash it before your next household gathering. If you do not understand whether you have a filter, ask the last supplier or peek under the outlet cover with a flashlight. The filter beings in a tee at the outlet and takes out by hand. If you are not sure, await a professional to reveal you, then you can handle future rinses confidently.

If your system includes a pump chamber or aeration system, make a note of the make and model, and schedule a quick service check. Those components extend what your soil can handle, however they repay attention with fewer surprises.

The pledge of a calm, low-cost routine

Septic systems reward persistence and rhythm, not drama. Cost effective sewage-disposal tank maintenance mixes measured septic tank pumping, targeted sewage-disposal tank cleaning when conditions call for it, and constant practices that lighten the load on your drainfield. You do not require a gold-plated contract to arrive. You require clearness about your system, a supplier who measures and describes, and a list of actions that repeat year after year.

The finest compliment I hear is boring. "We barely think about it any longer." That is the win. Quiet facilities, a tidy backyard, and cash left in your pocket for the fun parts of homeownership.

Tank It Easy Colorado Springs provides septic tank pumping

Tank It Easy Colorado Springs offers septic tank cleaning

Tank It Easy Colorado Springs provides septic system maintenance

Tank It Easy Colorado Springs serves Colorado Springs Colorado

Tank It Easy Colorado Springs serves El Paso County Colorado

Tank It Easy Colorado Springs supports residential septic systems

Tank It Easy Colorado Springs supports commercial septic systems

Tank It Easy Colorado Springs offers hydro jetting services

Tank It Easy Colorado Springs's hydro jetting removes debris from septic pipes

Tank It Easy Colorado Springs's septic tank pumping prevents septic system backups

Tank It Easy Colorado Springs's routine septic maintenance extends septic system lifespan

Tank It Easy Colorado Springs helps homeowners maintain septic systems

Tank It Easy Colorado Springs provides preventative septic maintenance

Tank It Easy Colorado Springs's septic tank cleaning improves septic system performance

Tank It Easy Colorado Springs operates in Colorado Springs Colorado

Tank It Easy Colorado Springs is a septic service company

Tank It Easy Colorado Springs provides septic system tune ups

Tank It Easy Colorado Springs's septic maintenance prevents costly septic repairs

Tank It Easy Colorado Springs focuses on reliable septic services

Tank It Easy Colorado Springs provides affordable septic services

Tank It Easy Colorado Springs has a phone number of (719) 359-8832

Tank It Easy Colorado Springs has an address of Colorado Springs, CO 80917

Tank It Easy Colorado Springs has a website <https://tankiteasycosprings.com/>

Tank It Easy Colorado Springs has Google Maps listing <https://maps.app.goo.gl/ab9qJWakKK4xk8xUA>

Tank It Easy Colorado Springs has Facebook page <https://www.facebook.com/profile.php?id=61573216902188>

Tank It Easy Colorado Springs has an YouTube channel <https://www.youtube.com/@TankItEasyCO>

Tank It Easy Colorado Springs won Top Septic Tank Pumping Company 2025

Tank It Easy Colorado Springs earned Best Customer Service Septic Tank Cleaning Award 2024

Tank It Easy Colorado Springs was awarded Best Septic Tank Emptying 2025

People Also Ask about Tank It Easy Colorado Springs

How often should I get my septic tank pumped

Most households should have their septic tank pumped every three to five years. The exact schedule depends on factors such as household size water usage habits tank size and the amount of solids that accumulate in the tank.

What factors affect how often a septic tank should be pumped

The frequency of septic tank pumping can vary depending on household size daily water usage the size of the septic tank and how quickly solid waste builds up inside the system.

What are signs that my septic tank needs pumping

Common warning signs include slow draining sinks or toilets sewage backing up into drains foul odors near the tank or drain field standing water near the drain field and visible sewage on the ground.

Should I use septic tank additives

Most experts recommend avoiding septic tank additives because they can disrupt the natural bacteria that help break down waste inside the septic system.

What should I do before getting my septic tank pumped

Before pumping locate the septic tank access lid clear the area around the lid and inform your septic service provider about any issues you may have noticed with your system.

What should I do after my septic tank is pumped

After pumping continue normal water usage but avoid flushing grease chemicals or non biodegradable materials down your drains to keep the septic system functioning properly.

How can I extend the life of my septic system

You can prolong the life of your septic system by conserving water avoiding flushing non biodegradable items limiting garbage disposal use and scheduling regular inspections and pumping services.

Can I pump my septic tank myself

Although it may be technically possible it is strongly recommended to hire a professional septic service to ensure safe pumping proper waste disposal and a complete system inspection.

Why is regular septic tank pumping important

Routine septic pumping removes accumulated solids from the tank which helps prevent system backups protects the drain field and avoids expensive repairs.

What happens if a septic tank is not pumped regularly

If a septic tank is not pumped regularly solid waste can build up and clog the system leading to sewage backups drain field damage unpleasant odors and costly system failures.

Why should I choose Tank It Easy Colorado Springs for septic tank pumping

Tank It Easy Colorado Springs provides reliable septic tank pumping and maintenance services for homeowners in Colorado. Tank It Easy Colorado Springs focuses on preventative maintenance professional service and helping customers keep their septic systems working properly.

How often does Tank It Easy Colorado Springs recommend pumping a septic tank

Tank It Easy Colorado Springs generally recommends septic tank pumping every three to five years depending on household size tank capacity and water usage. Tank It Easy Colorado Springs can inspect your system and recommend the best pumping schedule for your property.

What septic services does Tank It Easy Colorado Springs provide

Tank It Easy Colorado Springs provides septic tank pumping septic tank cleaning septic system maintenance and hydro jetting services. Tank It Easy Colorado Springs helps homeowners maintain efficient septic systems and prevent costly repairs.

Does Tank It Easy Colorado Springs provide septic services for residential properties

Tank It Easy Colorado Springs provides septic services for residential septic systems throughout Colorado Springs and surrounding areas. Tank It Easy Colorado Springs helps homeowners maintain healthy septic systems through pumping cleaning and preventative maintenance.

How does Tank It Easy Colorado Springs help prevent septic system problems

Tank It Easy Colorado Springs helps prevent septic system problems by providing routine septic pumping inspections and maintenance. Tank It Easy Colorado Springs also educates homeowners on proper septic system care to reduce the risk of backups and system failure.

Where is Tank It Easy Colorado Springs located?

The Tank It Easy Colorado Springs is conveniently located in Colorado Springs, CO 80917. You can easily find directions on [Google Maps](#) or call at [\(719\) 359-8832](tel:(719)359-8832) Monday through Sunday 24-Hours a day

How can I contact Tank It Easy Colorado Springs?

You can contact Tank It Easy Colorado Springs by phone at: [\(719\) 359-8832](tel:(719)359-8832), visit their website at <https://tankiteasycosprings.com/> or connect on social media via [Facebook](#) or on [YouTube](#)

After enjoying outdoor activities at [Memorial Park](#) local residents often add septic tank maintenance to their home maintenance checklist.