

Business Name: Tank It Easy Colorado Springs

Address: Colorado Springs, CO 80917

Phone: (719) 359-8832

Tank It Easy Colorado Springs

Tank It Easy – Colorado Springs provides fast, reliable septic tank cleaning for homes and businesses across the region. We handle routine pumping, maintenance, and inspections with honest pricing and friendly service. Whether you're dealing with backups, odors, or just need regular service, our licensed and insured team gets the job done right. Family-owned and operated, we're committed to keeping your septic system running smoothly. Call today and let Tank It Easy do the dirty work—so you don't have to!

[View on Google Maps](#)

Colorado Springs, CO 80917

Business Hours

- Monday: 24 Hours
- Tuesday: 24 Hours
- Wednesday: 24 Hours
- Thursday: 24 Hours
- Friday: 24 Hours
- Saturday: 24 Hours
- Sunday: 24 Hours

Follow Us:

- Facebook: <https://www.facebook.com/profile.php?id=61573216902188>
- YouTube: <https://www.youtube.com/@TankItEasyCO>

Explore this content with AI:

 [ChatGPT](#)  [Perplexity](#)  [Claude](#)  [Google AI Mode](#)  [Grok](#)

A septic system performs its own ideal work out of view. When it works effectively, you scarcely consider it. Wastewater leaves the house, solids reside in the tank, fluids filter right into the drainpipe area, and also lifestyle goes on. Problem starts when sludge sneaks greater than it should, roots press with a junction, or a sticky layer of grease as well as cleansing soap scum tightens free throw line coming from our home to the tank. I have found units that strained for years since the owners relied on septic tank pumping alone, while free throw line between your home and tank ended up being a choke point. The tank looked great on paper, yet bathrooms gurgled every weekend.

Hydro-jetting links that space. It is not a replacement for septic system pumping or septic system cleaning, and also it will definitely certainly not repair a broken drain field, however when administered at the right time it brings back the complete dimension of water pipes, clears persistent clogs, and protects against those slipping constraints that lead to backups at awful instants. Think about it as the distinction between scooping the leaves coming from a pond and additionally combing the consumption pipeline clean. Both matter.

Why tiny obstructions end up being large bills

Most clogs perform not occur through the night. A fifty percent inch of grease in a four in water pipes does certainly not look like a lot, but it robs you of approximately 25 percent of the pipe's cross-sectional region. Incorporate a thin layer of laundry detergent deposits and a little lint from the washing equipment, and circulation loses additionally. The problem compounds because slow-moving circulation allows even more component to reside. A house that seemed to be to operate fine for five years immediately has commodes that belch air when the cleaning device drains. Proprietors typically inform me they "merely had the tank pushed," and they possibly performed. Pushing gets rid of the muck as well as residue inside the tank. It performs certainly not scrub the inlet or the line from the house.

I keep in mind a lakeside log cabin along with a 3 time consumption pattern. In summer it organized a number of folks as well as hefty laundry times. In wintertime it rested almost empty. The managers pumped on time, however every July the cabin had a backup within the very first pair of full weeks. The culprit became a long, slightly bellied part of 4 inch PVC coming from the cabin to the tank. It held cool water in spring season, at that point a band of grease set like wax. Pushing the tank eased immediate stress yet left the supplant area. Hydro-jetting that line at 3,000 psi along with a permeating nozzle separated the oil, and a last successfully pass along with a rotary head polished the interior. That log cabin has rushed five summers without a repeat call.

What hydro-jetting really does

Hydro-jetting utilizes higher tension water via a hose pipe and also focused faucet to traverse oil, range, and delicate obstacles, then scrub the pipe wall surfaces. In residential septic work the machine commonly provides 2,000 to 4,000 psi at flows in the 4 to 12 gallon every moment selection. The nozzle matters as long as the maker. Back jets draw the pipe onward and rinse debris back towards the item aspect, while frontal jets penetrate obstructions. A rotating or even rotary mist nozzle adds a limited, also scrub around the circumference. When established correctly, hydro-jetting not merely drills a gap with a blockage, it recovers the [septic tank emptying](#) full size of the pipe.

In septic systems our team usually target three areas. The structure lateral coming from your home to the tank acquires one of the most focus since that is actually where wipes, body fats, as well as lint tend to gather. The tank's inlet and also electrical outlet baffles ought to have a near appearance. Baffles and healthful tees always keep residue and also floating solids from straying where they must not. If the inlet baffle is packed with dustcloths or even grease, you will definitely observe sluggish drains in the home. If the outlet baffle or even effluent filter is polluted, the pump truck are going to empty the tank and also it will certainly still recoup abnormally quickly as liquid neglects to leave freely. Ultimately, the distribution box and laterals of the drain area are even more sensitive region. You can easily not treat a saturated area along with water energy, but light jetting to crystal clear sand or even mire at the distribution carton or even near sidewise access can aid repair equilibrium when carried out conservatively.



How it matches sewage-disposal tank pumping and cleaning

Septic tank pumping removes the hefty sediment at the end of the tank as well as the algae coating at the top. That is actually the base of septic system maintenance, as well as it should certainly not be bypassed. Pushing regularity depends on household measurements, water make use of, and also tank amount. A family of 4 on a 1,000 quart tank often pumps every 2 to 3 years. Some go much longer, some much shorter. If you use a waste disposal unit frequently, cut that interval. Muck and also algae do certainly not vanish by themselves, and when they reach 30 to 40 percent of tank capability, the threat of solids getting into the drain industry climbs.

Hydro-jetting intervene where pumping quits. After the tank is empty, you can easily access the inlet as well as electrical outlet places cleanly. A really good specialist is going to jet the inlet line coming from the tank back toward our home, at that point flush fragments right into the drained tank where it can be vacuumed out. That is the safest method to always keep dislodged product away from the drainpipe industry. If an effluent filter exists on the electrical outlet, it needs to be taken out, washed, as well as reinspected before it returns in location. If you make an effort to plane lines without first executing septic tank emptying, you can steer worked loose grease as well as solids much deeper in to the system. That is actually requesting for trouble.



People commonly talk to whether hydro-jetting switches out sewage-disposal tank cleaning. It carries out certainly not. It supplements it. Septic system cleaning targets what partakes the tank, while hydro-jetting rejuvenates flow to as well as from that tank. When carried out with each other, you acquire a reset you can easily think right away.

Hydro-jetting versus rodding and chemical cleaners

I have brought both a rodder and also a jetter on the exact same truck. Both belong. A steel pole along with a reducing crown can easily chew with a root bundle or even impediment flushable wipes quickly. It can easily additionally leave shredded product stayed with the pipeline wall structure, all set to re-form. Chemicals marketed to dissolve grease or roots audio hassle-free, however I have observed them do little bit beyond clean your budget. Acerbic drain openers can easily hurt much older water pipes junctions and are certainly not types to the germs your septic tank relies on. As for supposed ingredients that guarantee to decrease pushing regularity, the scientific research is actually not on their side for a lot of household devices. Well-balanced micro-organisms are actually currently hard at work in a performance tank. You can not enzyme your way out of a tank that is due for service.

Hydro-jetting does well where these strategies fall short since water, under the ideal stress, reduces and also lugs simultaneously. It opens up a pathway then promptly cleans clutter back toward a measured capture point, often the tank or a cleanout. On much older Orangeburg or quite fragile clay tile, you should dial the tension and mist nozzle selection thoroughly, but with audio PVC, ABDOMINAL MUSCLE, or well-supported hue iron, travelling is each safe and thorough.

Where jetting sparkles, and where it performs not

Hydro-jetting is actually great for grease, cleansing soap, paper pulp, and sediment. It manages little roots that have actually certainly not gotten into from every junction. It stands out at cleansing the internal surface of pipelines, which protects against new fragments coming from clinging. It can easily additionally get rid of a loaded effluent filter in minutes.

There are actually restrictions. If your drainpipe industry has stopped working as a result of biomat thickening as well as chronic concentration, no quantity of travelling in the property lateral will definitely restore percolation. You may meticulously flush a distribution box as well as tease open the initial few feets of laterals if residue has actually crept in, yet you must not scrub an industry line boldly. That soil user interface is fragile. On a flattened pipe, travelling will definitely discover the cave-in and also stop cool. It is going to certainly not correct a sagging, bellied segment. It may get rid of the stubborn belly temporarily, but unless that low spot is actually improved, expect recurring issues.

A fast tale coming from a winter months call

A cattle ranch manager called after a cold wave. Every sink burped, as well as the downpour drained like a plugged shower. The tank had actually been actually pumped 6 months prior. Our experts found a six inch limit cleanout near the base and also came it off. Free throw line stood half full and also the smell pointed out grease, not pure sewage. Out came the little jetter with 200 feet of pipe. I decided on a nozzle with a 15 level ahead plane to pierce the clog, plus 6 rear planes to pull and clean. At 2,800 psi it chewed directly by means of soon, after that our team shifted to a rotating scalp as well as helped make three slow passes. The hose pipe rejuvenated a slurry of ashen excess fat, dust, and also paper coating. We completed through travelling from the tank's inlet back to the cleanout so the rinsate fell under the tank, after that vacuumed what we might get to coming from the inlet gulf. That residence has considering that incorporated a regular monthly practice of cleaning grease coming from pans right into the rubbish as well as running hot water after the dish washer. Simple routines, big difference.

Signs that direct toward hydro-jetting

- Drains that purl or even blister when another component discharges, specifically after laundry washing or dishwasher cycles
- Repeat downturns within months after septic tank pumping, advising the line, not the tank, is actually the dash point
- Odor and infiltration around the tank inlet area, even when the tank is actually not at capacity
- A plugged effluent filter that re-fouls swiftly after a rinse
- Camera assessment revealing heavy oil bands, detergent stalactites, or even diminished newspaper buildup in the lateral

How pros stage the job so absolutely nothing goes downstream

Good results begin with get access to. Ideally you possess a cleanout near your house as well as the tank lids exposed. If the covers are actually stashed, our experts carefully excavate to avoid squashing any sort of risers. Along with the lids open, we assess sludge and also film degrees to confirm whether septic system emptying must occur to begin with. If the tank is at or near service degrees, we pump prior to jetting any sort of difficult lines so dislodged product falls under an empty tank.

Next happens a camera elapsed possibly. [septic tank maintenance](#) You can operate careless with a jetter, yet a glance reveals droops, junctions, or even root breaches worth taking note. The nozzle choice and pressure setup rely on what you find. In much older delicate pipeline, our team stay near the reduced end of normal residential pressure, usually 1,800 to 2,200 psi, and use a delicate turning scalp. For massive grease our company improve and make use of a penetrating head first.

We consistently squirt from downstream toward difficult when coping with a septic tank. By doing this fragments ebbs to the tank, not onward towards the area. If there is actually no access at the tank, our team catch purged debris at the cleanout utilizing a fragments trap or through stopping to vacuum coming from the tank as soon as accessibility is actually created. When an effluent filter exists, it emerges just before we jet the electrical outlet location, as well as we reinstall it clean.

A final cam inspection confirms that the pipe wall structures are clean as well as junctions are actually clear. If the line revealed a tummy, our experts document the location and also encourage grade correction. Hydro-jetting is going to get you time in a stubborn belly, but standing water will ultimately collect new slime.

The rhythm of excellent sewage-disposal tank maintenance

A septic tank awards consistent care. I tell individuals to manage servicing like a season. In spring or even loss, routine a check-up that includes a tank level examination and also, when as a result of, septic tank pumping. Ask the technician to evaluate the inlet and outlet frustrates or even tees, the effluent filter if you have one, and also the disorder of the distribution package if accessible. If you have actually had even one slow drain episode previously year, consider incorporating line cleaning to that exact same browse through. Hydro-jetting every two to four years on the building lateral prevails for families with massive kitchen area use, several washing tons, or regular guests.

If you rent out the location out or even you have a trip residential property with bursty make use of, handle it a lot more like a small commercial body. Those profit from positive jetting before height time. On the various other end of the spectrum, a pair of individual household that composts junks and also is careful with oil may go years without needing line work beyond regimen septic tank cleaning.

Water usage patterns concern. Long, hot showers and also more mature, higher volume cleaning machines push additional circulation right into the system. Reduced flow installations aid, however they carry out certainly not change the chemistry of grease and also detergent. Grease cools as well as prepares wherever the pipe is actually coolest. That is frequently the sector outside the warmed space, right before the tank. If you possess a cleanout near that shift, it becomes the superstar of the show on jetting day.

Costs and expectations you can easily need to the bank

People like round varieties, yet real expenses hang on gain access to, length of trip, and also what we locate inside. In lots of locations, a straightforward residential hydro-jetting of a singular lateral, paired with sewage-disposal tank pumping, lands in the few hundred to reduced four-figure array. Short keep up really good

cleanouts sit at the lesser side. Long, complicated runs, frozen tops, or root attacks drive much higher. If a video camera evaluation is featured, it usually incorporates a reasonable cost and saves guess work. If you need to subject stashed tops or install a riser to quality, consider it an assets. You will definitely thank yourself in 5 years when solution is actually less complex and quicker.

A clean line ought to remain issue free of charge for a lengthy stretch if habits comply. Where behaviors do not modify, problems return a lot faster. I have actually gotten rid of the exact same home kitchen line twice in a year for a committed fryer who put oil down the drain along with hot water. They got along visits, yet not important ones. A coffee can and also a trash can would possess been cheaper.

Environmental sense as well as the micro-organisms that operate the show

Your tank relies on bacteria to break down solids. Respect that the field of biology. Hydro-jetting utilizes plain water and performs not disrupt the microbial balance inside the tank when followed through usual procedure. Harsh chemicals, however, may damage that harmony. Bleach loads and also anti-bacterial cleansing soaps become part of modern-day lifestyle, yet small amounts assists. Spreading out laundry washing bleach times throughout the week and using assessed volumes defends your system.

On the industry side, bear in mind that a drain industry is a living filter. It requires unsaturated pause. If you overwater the backyard or path a sump pump into the septic, you drown the industry and also reduce its lifestyle. Hydro-jetting will certainly certainly not save a regularly swamped industry. Take care of seamless gutters, proper certifying, as well as different stormwater. If you perform clay-rich dirts with slow-moving percolation, spreading out flows as time go on issues even more. Timed dose bodies and moderate low circulation fittings pay dividends there.



Practical dos and carry out n'ts after a travelling visit

- Run hot water through sinks and showers for a few mins each to verify circulation as well as carry away any staying fines
- Empty the dust catch on your cleaning machine drain pipes if one is put in, as well as think about including one if not
- Avoid massive oil and also oil ejection for a minimum of a full week, and also help make a practice of wiping pots in to the trash
- If you possess an effluent filter, mark your schedule to rinse it every 6 to twelve month, or quicker if you carry out hefty laundry
- Keep tank covers and cleanouts available. A paver, riser to quality, or a basic marker can easily spare an hour of excavating on the next call

What regarding roots and much older pipeline materials

Roots abide by water. Where junctions trickle, origins get in. Clay floor tile as well as older actors iron frequently reveal root breach. Hydro-jetting cuts tiny roots and also flushes the hairlike strands that snare particles. For chronic origin concerns, a 2 step method operates ideal. First, jet and get rid of the obstacle. Second, line the water pipes or switch out the annoying area. Chemical origin procedures may decrease regrowth temporarily, specifically in metropolitan drain laterals, yet in septic laterals I favor bodily fixes considering that your discharge is recurring and chemicals can clean right into the tank where they do not help.

With breakable water pipes, use opinion. Orangeburg, a tar-impregnated thread pipeline utilized in the mid 20th century, is actually notoriously delicate. I approach it along with low tension, a delicate nozzle, and quick get in touch with. If a camera reveals blistering or even ovaling, think about replacement as opposed to vigorous cleaning. Along with audio PVC as well as abdominal muscle, you could be much more aggressive. Directed iron needs attention at fittings where incrustation can easily build. Jetting can get rid of incrustation, however I call stress to avoid peeling defensive coating.

Planning ahead of time beats urgent calls

You will recognize you get on a well-balanced schedule when your unit stops surprising you. That indicates the tank gets opened before it is actually full, the filter obtains **septic tank cleaning** rinsed before it connects, and the house side receives cleaned before it tightens. Home owners who maintain an easy log find the design. Day and also details of the final septic tank pumping, notes on vermin and muck amounts, any sort of hydro-jetting carried out, and also whether an effluent filter was actually serviced. Pair that with 2 tiny behaviors in the house, scratching plates in to the junk as well as always keeping wipes and health products out of the bathroom, as well as you will certainly stretch years between urgent calls.

For properties with visitor turn overs or rentals, a one page invited slab makes a distinction. I have actually found a singular pipe save a weekend break: "Only toilet paper in the toilets. Please use the waste for whatever else." Incorporate one more line about grease and also you cover the major two.

The peaceful satisfaction of very clear lines

When a device breathes freely, you feel it as soon as possible. Drains mouthful air precisely, showers drain along with a soundless swirl, and the cleaning device burst no more scares a toilet around the hall. Hydro-jetting gets its own **septic tank maintenance** always keep by taking care of the aspect of your septic system that pumping can not touch, free throw lines and also installations that dictate exactly how quickly wastewater leaves your home. Used sensibly, and also regularly in tandem with proper septic tank maintenance, it switches a vulnerable, changeable body in to a quiet, competent one.

If you blow hot and cold, placed eyes on the complication. Seek a camera examination along with your upcoming septic tank cleaning. If the lens shows a ring of grease or an icing of detergent as well as paper, routine a travelling elapsed while the tank levels. That coupling is effective, detailed, and kind to the remainder of your device. Clear lines are actually not chance. They are the end result of a handful of intelligent steps at the correct time, water doing the job where it stands out, and a house owner that keeps a quick check-list and sticks to it.

Tank It Easy Colorado Springs provides septic tank pumping

Tank It Easy Colorado Springs offers septic tank cleaning

Tank It Easy Colorado Springs provides septic system maintenance

Tank It Easy Colorado Springs serves Colorado Springs Colorado

Tank It Easy Colorado Springs serves El Paso County Colorado

Tank It Easy Colorado Springs supports residential septic systems

Tank It Easy Colorado Springs supports commercial septic systems

Tank It Easy Colorado Springs offers hydro jetting services

Tank It Easy Colorado Springs's hydro jetting removes debris from septic pipes

Tank It Easy Colorado Springs's septic tank pumping prevents septic system backups

Tank It Easy Colorado Springs's routine septic maintenance extends septic system lifespan

Tank It Easy Colorado Springs helps homeowners maintain septic systems

Tank It Easy Colorado Springs provides preventative septic maintenance

Tank It Easy Colorado Springs's septic tank cleaning improves septic system performance

Tank It Easy Colorado Springs operates in Colorado Springs Colorado

Tank It Easy Colorado Springs is a septic service company

Tank It Easy Colorado Springs provides septic system tune ups

Tank It Easy Colorado Springs's septic maintenance prevents costly septic repairs

Tank It Easy Colorado Springs focuses on reliable septic services

Tank It Easy Colorado Springs provides affordable septic services

Tank It Easy Colorado Springs has a phone number of (719) 359-8832

Tank It Easy Colorado Springs has an address of Colorado Springs, CO 80917

Tank It Easy Colorado Springs has a website <https://tankiteasycosprings.com/>

Tank It Easy Colorado Springs has Google Maps listing <https://maps.app.goo.gl/ab9qJWakKK4xk8xUA>

Tank It Easy Colorado Springs has Facebook page <https://www.facebook.com/profile.php?id=61573216902188>

Tank It Easy Colorado Springs has an YouTube channel <https://www.youtube.com/@TankItEasyCO>

Tank It Easy Colorado Springs won Top Septic Tank Pumping Company 2025

Tank It Easy Colorado Springs earned Best Customer Service Septic Tank Cleaning Award 2024

Tank It Easy Colorado Springs was awarded Best Septic Tank Emptying 2025

People Also Ask about Tank It Easy Colorado Springs

How often should I get my septic tank pumped

Most households should have their septic tank pumped every three to five years. The exact schedule depends on factors such as household size water usage habits tank size and the amount of solids that accumulate in the tank.

What factors affect how often a septic tank should be pumped

The frequency of septic tank pumping can vary depending on household size daily water usage the size of the septic tank and how quickly solid waste builds up inside the system.

What are signs that my septic tank needs pumping

Common warning signs include slow draining sinks or toilets sewage backing up into drains foul odors near the tank or drain field standing water near the drain field and visible sewage on the ground.

Should I use septic tank additives

Most experts recommend avoiding septic tank additives because they can disrupt the natural bacteria that help break down waste inside the septic system.

What should I do before getting my septic tank pumped

Before pumping locate the septic tank access lid clear the area around the lid and inform your septic service provider about any issues you may have noticed with your system.

What should I do after my septic tank is pumped

After pumping continue normal water usage but avoid flushing grease chemicals or non biodegradable materials down your drains to keep the septic system functioning properly.

How can I extend the life of my septic system

You can prolong the life of your septic system by conserving water avoiding flushing non biodegradable items limiting garbage disposal use and scheduling regular inspections and pumping services.

Can I pump my septic tank myself

Although it may be technically possible it is strongly recommended to hire a professional septic service to ensure safe pumping proper waste disposal and a complete system inspection.

Why is regular septic tank pumping important

Routine septic pumping removes accumulated solids from the tank which helps prevent system backups protects the drain field and avoids expensive repairs.

What happens if a septic tank is not pumped regularly

If a septic tank is not pumped regularly solid waste can build up and clog the system leading to sewage backups drain field damage unpleasant odors and costly system failures.

Why should I choose Tank It Easy Colorado Springs for septic tank pumping

Tank It Easy Colorado Springs provides reliable septic tank pumping and maintenance services for homeowners in Colorado. Tank It Easy Colorado Springs focuses on preventative maintenance professional service and helping customers keep their septic systems working properly.

How often does Tank It Easy Colorado Springs recommend pumping a septic tank

Tank It Easy Colorado Springs generally recommends septic tank pumping every three to five years depending on household size tank capacity and water usage. Tank It Easy Colorado Springs can inspect your system and recommend the best pumping schedule for your property.

What septic services does Tank It Easy Colorado Springs provide

Tank It Easy Colorado Springs provides septic tank pumping septic tank cleaning septic system maintenance and hydro jetting services. Tank It Easy Colorado Springs helps homeowners maintain efficient septic systems and prevent costly repairs.

Does Tank It Easy Colorado Springs provide septic services for residential properties

Tank It Easy Colorado Springs provides septic services for residential septic systems throughout Colorado Springs and surrounding areas. Tank It Easy Colorado Springs helps homeowners maintain healthy septic systems through pumping cleaning and preventative maintenance.

How does Tank It Easy Colorado Springs help prevent septic system problems

Tank It Easy Colorado Springs helps prevent septic system problems by providing routine septic pumping inspections and maintenance. Tank It Easy Colorado Springs also educates homeowners on proper septic system care to reduce the risk of backups and system failure.

Where is Tank It Easy Colorado Springs located?

The Tank It Easy Colorado Springs is conveniently located in Colorado Springs, CO 80917. You can easily find directions on [Google Maps](#) or call at (719) 359-8832 Monday through Sunday 24-Hours a day

How can I contact Tank It Easy Colorado Springs?

You can contact Tank It Easy Colorado Springs by phone at: [\(719\) 359-8832](tel:7193598832), visit their website at <https://tankiteasycosprings.com/> or connect on social media via [Facebook](#) or on [YouTube](#)

After a scenic visit to [Seven Falls](#) homeowners frequently plan septic tank cleaning to prevent buildup and system backups.