

For most Los Angeles homeowners, the cost to replace two garage door springs is typically about **\$350 to \$800**, including parts and standard labor. A standard two-spring replacement on a standard residential overhead garage door may fall near the lower end, while a heavy door, high-cycle springs, corrosion, difficult access, or emergency scheduling can raise the total.

The exact garage door repair cost depends on the spring system, door weight, spring cycle rating, labor charges, and whether the technician finds worn cables, rollers, brackets, or other unsafe components. A reliable quote should itemize the garage door spring cost separately from the service call and labor rather than presenting one unclear total.

Average Cost to Replace Two Garage Door Springs in Los Angeles

In Los Angeles, homeowners often get a two-spring replacement estimate in these approximate ranges:

- **\$350 to \$500:** Regular replacement springs, standard daytime service, and an easy-to-reach residential door.
- **\$500 to \$800:** Premium or high-cycle torsion springs, more substantial doors, further adjustment, or more complex labor.
- **\$800 to \$1,200 or more:** After-hours or after-hours service, extensive corrosion, unusual spring sizes, challenging repairs, or multiple damaged components.

These figures are useful planning ranges rather than a guaranteed price. The garage door spring cost can differ between the San Fernando Valley, West Los Angeles, South Los Angeles, and the San Gabriel Valley because travel time, local demand, building styles, and service availability vary.

Most modern residential doors use **torsion springs**, which sit above the door and help lift it by twisting around a stationary shaft. Older or lighter doors may use **extension springs**, which run along the horizontal tracks. The spring design, size, wire thickness, and spring cycle life all impact the replacement price.

Replacing two springs together is often recommended when a door uses a matched pair. Both springs generally have the same age and similar wear. Replacing only the broken spring may leave the older spring more likely to break soon, requiring another service call and another adjustment.

What Is Included in a Two-Spring Replacement Quote?

A clear quote for spring replacement should list each major part of the job. The total garage door repair pricing may cover the following:

- **Dispatch fee:** The charge for sending a garage door technician to your property and performing an initial assessment.
- **Inspection and evaluation:** Evaluation of the spring system, door balance, garage door track, garage door cable, garage door rollers, bearings, brackets, and opener operation.
- **Replacement of the springs:** Removal of the old springs and installation of two properly sized replacement springs.
- **Workmanship cost:** The time required to secure the door, release spring tension, install the new components, balance the door, and test the system.
- **Tuning and testing:** Calibrating the springs and checking that the door opens and closes without difficulty.
- **Warranty details:** Details about the parts warranty and any separate warranty on workmanship.

Some companies include the service call into the quoted replacement price, while others show it separately. Ask whether the fee is waived if you accept the repair. You should also ask whether disposal of the old springs, taxes, and any required safety inspection are included.

Parts, Workmanship, and Emergency Fees

The price of replacement springs is influenced by the spring's dimensions, steel quality, cycle rating, and whether the technician keeps the correct size in stock. Standard replacement springs may cost less than high-cycle or corrosion-resistant models, but the cheapest part is not always [Garage Door Installation in Los Angeles](#) the best value over time.

Labor charges cover more than simply taking out a broken spring. A garage door technician must safely control stored spring tension, secure the door, install the replacement parts, set the correct tension, and confirm that the door remains balanced. This work can be dangerous without specialized tools and training.

Same-day garage door repair during regular business hours may involve a reasonable premium, particularly when a company adjusts its schedule to respond quickly. Emergency repair at night, on a weekend, or during a holiday often costs more because of after-hours service charges. If the door is closed safely and there is no immediate security or access problem, scheduling routine service may reduce the total.

Additional charges may apply if the garage door cable has frayed, a drum is damaged, the bearing plates are worn, or corrosion has frozen hardware. A reputable provider should receive authorization before performing work beyond the original spring replacement.

Torsion Springs Compared with Extension Springs: Which Is More Expensive?

A **torsion-style spring** is installed above the garage door and uses torque to counterbalance the door. Torsion systems are frequently found on newer residential doors because they provide controlled lifting and generally offer good balance. A two-spring torsion replacement often costs about \$350 to \$800 in Los Angeles, depending on the door and spring specifications.

An **extension-style spring** runs along the horizontal track and extends as the door moves. Extension systems can be less expensive in some basic installations, but their total cost depends on the spring pair, pulleys, safety cables, and condition of the tracks. If the existing system lacks adequate safety cables, adding them may be an important part of the repair.

Spring cycle rating is another major difference in value. A standard spring may be rated for approximately 10,000 cycles, while a high-cycle spring may be designed for 20,000, 25,000, or more cycles. One cycle means one complete opening and closing. A household that uses the door several times daily may benefit from a greater cycle rating.



The right spring must create a **well-balanced door**. An improperly sized spring can make the door too heavy, cause it to rise too quickly, strain the garage door opener, or prevent it from staying open. A technician should weigh or accurately evaluate the door rather than estimating based only on its appearance.

Factors That Impact Garage Door Spring Replacement Cost

Garage door weight is among the key factors. A lighter insulated or non-insulated door requires a different spring type from a heavy wood, carriage-house, or highly insulated steel door. The higher the door weight, the more careful the spring selection and adjustment must be.

Door size also affects pricing. Los Angeles homes typically include single-car and two-car overhead garage doors. A standard two-car garage door is wider and may require more robust springs than a single-car door. Door width, weight, and wind-load requirements can all change the material and labor estimate.

High-cycle springs cost more initially but may provide greater durability for busy households. Ask the contractor to state the cycle rating in writing so you can compare estimates accurately. A quote that includes premium springs should identify the expected rating rather than using only terms such as “heavy duty.”

Corrosion is another regional concern. Coastal areas such as Santa Monica, Venice, and Long Beach may experience more hardware corrosion because of marine air. Rust can affect springs, cables, fasteners, drums, rollers, and brackets, making removal more difficult and increasing the chance that related replacement parts will be recommended. Corrosion-resistant hardware may cost more but can be a good choice for these environments.

Other factors include the height of the garage ceiling, restricted access to the spring shaft, damage caused when the spring **Garage Door Installation** failed, previous incorrect repairs, and the need to reset or replace a garage

door opener. A thorough garage door safety inspection helps identify these issues before the final price is accepted.

Warning Signs You Need to Replace Both Garage Door Springs

A **damaged garage door spring** may be readily apparent: you may notice a gap in the coil, notice a loud bang, or find that the door suddenly becomes extremely heavy. Other warning signs are:

- The door will not open manually or the garage door opener reverses under load.
- The door opens only a few inches and halts.
- The door closes out of balance or appears tilted.
- One side rises higher than the other.
- The door falls quickly when disconnected from the opener.
- You hear unusual popping, grinding, or squealing from the spring area.
- The garage door opener works harder or makes excessively loud sounds.

A noisy garage door does not always mean the springs are failed. Worn rollers, loose hinges, dry bearings, or a misaligned garage door track can produce similar sounds. Likewise, an uneven garage door may involve a damaged garage door cable or a issue with the drums.

Do not try to remove or unwind a torsion spring yourself. The stored tension can cause severe injury. Disconnecting the opener and manually lifting a heavy door can also harm the door or opener. A qualified technician should examine the complete system and determine whether both springs need replacement.

Garage Door Repair Near Me in Los Angeles: What You Should Check

Looking up “garage door repair near me” can produce numerous choices, but proximity alone does not establish quality. Look for a **properly licensed garage door contractor** with a legitimate business identity, clear contact information, and proven expertise with residential spring systems.

Before agreeing to work, ask for:

- A detailed written estimate outlining the two springs, cycle rating, labor, service call, and applicable taxes or fees.
- Proof of insurance, including general liability coverage and workers’ compensation where applicable.
- The company’s license information and the technician’s name.
- Warranty terms for both replacement parts and labor.
- A description of any suggested cable, roller, bearing, track, or opener work.

For Los Angeles garage door repair, service areas may extend across the San Fernando Valley, West Los Angeles, South Los Angeles, and the San Gabriel Valley. Ask whether the advertised price applies to your specific neighborhood and whether travel or same-day charges are charged separately.

If the work involves structural changes or a complete garage door replacement, verify permit requirements with the Los Angeles Department of Building and Safety. A routine spring replacement is distinct from modifying framing, changing the opening, or replacing a door in a way that affects structural or wind-load requirements.

Related Garage Door Costs Residents Often Compare

Spring replacement is usually lower in cost than replacing the entire door, but the best repair-or-replacement decision depends on the condition and age of the system.

Garage door replacement cost may range from roughly \$1,000 to \$4,000 or more for a residential door and installation, depending on material, insulation, design, hardware, and local requirements. Premium wood or custom doors can cost considerably more. The **two car garage door replacement cost**, also described as the **2 car garage door replacement cost**, is often greater than a single-car door because of its larger size and weight.

Replacing a damaged **garage door panel** may be practical when the rest of the door is in good condition and a matching panel is available. A single panel repair may cost less than a complete door, but color fading, discontinued designs, or hidden structural damage can make replacement less practical.

The **garage door opener installation cost** is commonly not included with spring work. If the opener is old, undersized, damaged by a heavy unbalanced door, or missing modern safety features, a new opener may increase dependability. However, installing an opener does not fix a broken spring or unsafe door balance.

EM Garage Doors And Gate Service Inc

19629 Cantara St, Reseda, CA 91335

(818) 919-0785

<https://emgaragedoorsandgateservice.com/>

<https://maps.app.goo.gl/XujLWxA4pAQKARQT8>

34.2193569, -118.5613022

How to Get an Accurate Garage Door Repair Quote

Start with an in-person inspection rather than relying on a price quoted without seeing the door. During the inspection, the technician should determine the spring type, measure or evaluate door weight, examine the cables and drums, check the garage door track, inspect rollers and hinges, and test the opener's safety reversal functions.

Request a written estimate with separate line items for parts and labor. It should state whether the price includes two replacement springs, a service call, disposal, adjustment, a garage door safety inspection, and warranty coverage. If high-cycle spring or corrosion-resistant hardware is recommended, the estimate should state the reason.

Review estimates by specifications, not just totals. One company may quote low-cost standard springs, while another may include high-cycle springs, new safety cables, and a longer warranty. Ask each provider to quote the same spring cycle rating and to identify every included component.

Find out how the warranty operates. Parts coverage may be longer than labor coverage, and some warranties omit rust, misuse, unauthorized modifications, or normal wear. Confirm whether a future adjustment or callback includes another service call fee.

Consistent garage door maintenance can increase component life. Applying lubricant to appropriate moving parts, examining fasteners, maintaining the track clear, and organizing periodic inspection can spot wear before a failure. Do not lubricate or adjust spring tension unless the manufacturer and a qualified professional specifically direct you to do so.

The lowest garage door repair pricing is not invariably the safest choice. Choose a provider that outlines the repair, uses properly sized replacement parts, provides a written estimate, and inspects the door after installation. That approach gives you a more realistic comparison of value and minimizes the likelihood of repeat service.

Frequently Asked Questions

How much does it cost to replace two garage door springs near me in Los Angeles?

The usual cost is about \$350 to \$800 for two springs and basic labor in Los Angeles. Oversized doors, high-cycle springs, corrosion, difficult access, emergency repair, and additional damaged components can raise the total to \$1,200 or more. Obtain a written breakdown of the garage door spring cost, service call, labor, and add-ons.

Should both garage door springs be changed at the same time?

Typically, that is correct, when the door uses a matched pair. Both springs usually experience the same number of cycles and similar wear. Replacing both at once keeps a balanced door and may prevent a second service visit shortly after the first spring fails. A technician should confirm the recommendation during an inspection.

How much does garage door repair cost when a door spring breaks?

A spring-based garage door repair cost is usually \$350 to \$800 for two standard springs in Los Angeles. The price may rise if the garage door cable, drums, rollers, bearings, track, or opener are also affected. Out-of-hours service and emergency repair generally carry additional labor charges or service fees.

How can I find reliable garage door spring replacement near me?

Search for an established garage door repair near me provider and confirm licensing, insurance, local service information, and customer reviews. Ask for a written estimate, spring cycle rating, warranty details, and the technician's recommendations for related safety components. A reliable licensed garage door contractor should describe the work before starting and obtain approval for additional repairs.

Is it cheaper to repair an overhead garage door or replace it?

Repairing an overhead garage door is usually more affordable when the problem is limited to springs, cables, rollers, an opener, or one garage door panel. Full replacement may be more practical when the door has extensive rust, repeated failures, severe structural damage, poor insulation, or obsolete hardware. Compare the repair cost with the garage door replacement cost and consider the door's age, safety, appearance, and expected future maintenance.